# FOR INTERNAL USE ONLY

JWR/JT/1159
1976-10-13

P851 price list 1977-01-01

| Type number | Description | SSP | BASIC |
|---|---|---|---|
| | **Central processors** | | |
| P851M-101 | CPU 0.5k/.75/usec Memory and 10 GP slots | 5.603,- | 7.475,- |
| P851M-102 | CPU 1.0k/.75/usec Memory and 10 GP slots | 5.772,- | 7.700,- |
| P851M-103 | CPU 2.0k/.75/usec Memory and 10 GP slots | 6.085,- | 8.370,- |
| P851M-104 | CPU 4.0k/.75/usec Memory and 10 GP slots | 6.265,- | 8.960,- |
| P851M-105 | CPU 8.0k/.75/usec Memory and 10 GP slots | 7.034,- | 10.015,- |
| | **Memory Modules** | | |
| P851M-001 | Memory module 0.5k/.75/usec 16 bits RAM | 547,- | 1.030,- |
| P851M-002 | Memory module 1.0k/.75/usec 16 bits RAM | 717,- | 1.810,- |
| P851M-003 | Memory module 2.0k/.75/usec 16 bits RAM | 1.045,- | 2.000,- |
| P851M-004 | Memory module 4.0k/.75/usec 16 bits RAM | 1.210,- | 2.210,- |
| P851M-005 | Memory module 8.0k/.75/usec 16 bits RAM | 1.974,- | 3.535,- |
| P851M-006 | Memory module 1.0k/.75/usec 16 bits (RePROM) | 839,- | 1.325,- |
| P851M-007 | Memory module 2.0k/.75/usec 16 bits (RePROM) | 1.374,- | 2.165,- |
| P851M-008 | Memory module 4.0k/.75/usec 16 bits (RePROM) | 2.451,- | 3.865,- |
| P851M-029 | Memory card 24 pins sockets for up to 4k 16 bits words (without RePROMs) | 409,- | 895,- |
| | **Central processor options** | | |
| P851M-020 | I/O processor, High speed Multiplex Data channel | 473,- | 2.010,- |
| P851M-021 | General Purpose Initial Program Loader (Bootstrap) | 21,25 | 335,- |
| P851M-022 | General Purpose Initial Program Loader Dedicated (ROM Bootstrap) | 21,25 | 335,- |
| P851M-032 | Full control panel incl. Extender and cable (Repl. mini panel) | 812,- | 1.275,- |
| | **Central Processor Accessories** | | |
| P851M-046 | Battery pack-up for power supply, during power failures | 775,- | 1.225,- |
| P851M-048 | CPU front cover | 99,- | 155,- |
| P851M-049 | CPU cover plate (replaces full contr. panel (P851-032) | 67,- | 112,- |
| | **Controllers** | | |
| P801-140 | CU for Papertape Reader | 366,50 | 1.230,- |
| P801-141 | CU for Papertape reader and punch | 398,- | 2.032,- |
| P845-140 | CU for Serial Data transfer V24 and V28 or current loop (SCU2) | 605,- | 960,- |
| P845-160 | CU for 1 asynchronous line, full or half duplex or 1 synchronous line (SALCUZ) | 1.242,- | 1.985,- |

FOR INTERNAL USE ONLY

| Type number | Description | SSP | BASIC |
|---|---|---|---|
| | Cards and extenders | | |
| P843-107 | Translator card to connect Std P800 Gen. Purpose bus | 531,- | 1.115,- |
| P843-125 | General Purpose card with GPB"S" Control Logic | 250,- | 895,- |
| | Maintenance equipment | | |
| P843-350 | Extension card for single card testing | 155,- | 248,- |
| P843-351 | Extension card for double card testing | 213,- | 335,- |
| P843-352 | Extension card for power supply regulator card | 229,- | 370,- |
| | Stand alone software | | |
| PV 270-010 | Stand alone software, basic package (8x8 format) | 465,- | 645,- |
| PV 270-011 | Stand alone software, basic package (4x4 format) | 465,- | 645,- |
| PV 271-010 | Stand alone debugging package in 8x8 format | 200,- | 395,- |
| PV 271-011 | Stand alone dubugging package in 4x4 format | 200,- | 395,- |
| | Basic Operating System | | |
| PV 270-020 | Basic Operating System, basic package | 535,- | 750,- |
| PV 270-021 | Full Fortran compiler, transcoder and library | 665,- | 955,- |
| | Basic Real Time System | | |
| PV 270-070 | Basic Real Time System, basic package | 3.310,- | 4.620,- |
| | Small Real Time System | | |
| PV 270-060 | P800 Small Real Time System basic package | 645,- | 900,- |
| PV 271-150 | Small ROM Real Time Monitor 8x8 format (SRRTM) | 560,- | 1.095,- |
| | Read-Only Memory Generation Software | | |
| PV 271-160 | ROM image stand alone software 4x4 format | 395,- | 780,- |
| PV 271-161 | ROM image stand alone software 8x8 format | 395,- | 780,- |
| PV 272-162 | ROM image under DOS | 395,- | 780,- |
| PV 271-163 | ROM image under DOS on cassette | 395,- | 780,- |
| | General Software | | |
| PV 265-003 | ASCII-core dump on I/O typewriter or on line printer | 42,- | 58,- |
| PV 266-004 | Real time full Fortran library | 560,- | 780,- |

FOR INTERNAL USE ONLY

| Type number | Description | SSP | BASIC |
|---|---|---|---|
| | <u>Central processor test software for CPU</u> | | |
| PV 251-220 | P851 Basic test package for the CPU | 255,- | 495,- |
| | <u>Peripheral test software</u> | | |
| PV 251-200 | Basic test package for papertape equipment | 195,- | 385,- |
| PV 251-201 | Test program serial interface V24 or current loop interface | 195,- | 385,- |